ELSEVIER

Volume 238, Numbers 1–2, October 1995

Inorganica Chimica Acta

Contents

Preliminary Communications

Optical metal-to-metal charge transfer of (μ-cyano)decaamminediosmium(III) 1
H. Kunkely, V. Pawlowski, A. Vogler (Regensburg, Germany)

Anion recognition by a dicopper(II) cryptate 5
L. Fabbrizzi, P. Pallavicini, L. Parodi, A. Taglietti (Pavia, Italy)

New copper complex with π-conjugated electrically conductive polymer chelating ligand, poly(6,6′-dialkyl-2,2′-bipyridine-5,5′-diyl). Preparation and optical and electrochemical properties of the complex 9
T. Maruyama, T. Yamamoto (Yokohama, Japan)

Articles

'Layered hydrogenselenites'
II. Synthesis, structure studies and magnetic properties of a novel series of bimetallic hydrogenselenites: $[Cu(HSeO_3)_2MCl_2(H_2O)_4]$, M(II) = Mn, Co, Ni, Cu, Zn 15
A.-M. Lafront, J.-C. Trombe, J. Bonvoisin (Toulouse, France)

Synthesis and structure of metallomacrocycles based on isothiosemicarbazides 23
M.T. Reetz, V.B. Arion, R. Goddard (Mülheim an der Ruhr, Germany), Y.A. Simonov, V.Ch. Kravtsov (Kishinev, Moldova), J. Lipkowski (Warsaw, Poland)

Palladium(II) and platinum(II) complexes of *cis*-1,2-bis(diphenylphosphino)ethene: completely planar structures due to π bonding in the case of platinum(II) 35
W. Oberhauser, C. Bachmann, P. Brüggeller (Innsbruck, Austria)

Low-temperature doublet luminescence and absorption spectra of multidentate hexaam(m)ine Cr(III) complexes. Effects of ligand induced distortion from O_h symmetry 45
A.D. Kirk (Victoria, BC, Canada), P. Hoggard (Fargo, ND, USA), H.U. Güdel (Bern, Switzerland)

Synthesis of the pentamethylcyclopentadienylruthenium dithiolate complex Cp*Ru(NO)(dmit). Electrochemical properties and extended Hückel molecular orbital calculations 57
H. Shen, R.A. Senter, S.G. Bott, M.G. Richmond (Denton, TX, USA)

Macrocyclic complexes of lanthanides in identical ligand frameworks
Part 1. Synthesis of lanthanide(III) and yttrium(III) complexes of an 18-membered dioxatetraaza macrocycle 63
D. Suresh Kumar, V. Alexander (Madras, India)

Effects of Co–S torsion angle variation in a cobalt(II)–thiolate complex: X-ray crystal structure analysis, single-crystal EPR measurements and ligand-field calculations 73
K. Fukui (Yamagata, Japan), H. Masuda (Nagoya, Japan), H. Ohya-Nishiguchi, H. Kamada (Yamagata, Japan)

Complex formation of copper(II) acetate with pyridine bases in anhydrous acetic acid 83
N. Nakasuka (Gifu, Japan), K. Azuma, M. Tanaka (Nagoya, Japan)

Crystal structures and reversible thermal isomerization of three geometrical isomers of chlorobis(2-ethyl-8-quinolinolato)nitrosylruthenium(II) 89
H. Ikezawa, Y. Ikezawa, E. Miki, K. Mizumachi, T. Ishimori (Tokyo, Japan)

A comparison of the magnetic and crystal field properties of protoporphyrin-IX, hemeoctapeptide and heme proteins 99
J.W. Owens, M. Robins (Baton Rouge, LA, USA), C.J. O'Connor (New Orleans, LA, USA)

Ligated lanthanide clusters in the fast atom bombardment of lanthanide carboxylates 109
T.J. Kemp, P.A. Read, R.N. Beatty (Coventry, UK)

^{1}H NMR relaxation studies of molten salts containing ethylaluminum dichloride 115
C.E. Keller, W.R. Carper (Wichita, KS, USA)

Elsevier Science S.A.

Structural and energetic studies on double salts of M(II)$Mg_2Cl_6 \cdot 12H_2O$ (M = Ca, Mn, Cd) by X-ray diffraction and density functional methods 121
K. Waizumi (Yamaguchi, Japan), H. Masuda (Nagoya, Japan), N. Fukushima (Tokyo, Japan)

Coordination compounds of dimethylthallium(III) with 5-(2-pyridinylmethylene)rhodanine or 5-(2-pyridinylmethylene)-2-thiohydantoin: an unusual case of desmotropic isomerism 129
J.S. Casas (Santiago de Compostela, Galicia, Spain), E.E. Castellano (São Carlos, Brazil), A. Macías, N. Playá, A. Sánchez, J. Sordo, J.M. Varela (Santiago de Compostela, Galicia, Spain), J. Zukerman-Schpector (São Carlos, Brazil)

Mixed-valence Fe(III)–Fe(IV) dimers. Preparation and physical properties of oxidation products of oxo-bridged binuclear iron(III) complexes 139
V.K. Voronkova (Tatarstan, Russia), J. Mrozinski (Wrocław, Poland), M.A. Yampol'skaya (Kishinev, Moldova), Yu.V. Yablokov, N.S. Evtushenko (Tatarstan, Russia), M.S. Byrke, N.V. Gerbeleu (Kishinev, Moldova)

The synthesis and structure of two novel metal-di-2-pyridyl ketone oxime dimers. 149
S.O. Sommerer (Miami Shores, FL, USA), B.L. Westcott, A.J. Jircitano (Erie, PA, USA), K.A. Abboud (Gainesville, FL, USA)

The coordination of 5'-derivatives of adenosine to vanadate. 155
J. Richter, D. Rehder (Hamburg, Germany), L. Wyns (St. Genesius-Rode, Belgium), A. Haikal (Zagazig, Egypt)

Origin and fine tuning of the stability of five-coordinated platinum(II) and palladium(II) species. A quantum-mechanical study. 159
N. Desmarais, C. Adamo, B. Panunzi, V. Barone (Naples, Italy), B. Giovannitti (Campobasso, Italy)

Notes

Structure refinement of barium metavanadate BaV_2O_6. 165
T. Yao, Y. Oka, N. Yamamoto (Kyoto, Japan)

Synthesis and mesomorphic behaviour of oxochloro[5,10,15,20-tetrakis(4-n-dodecylphenyl)porphinato]molybdenum(V) 169
A. Nagata, Y. Shimizu, H. Nagamoto, M. Miya (Osaka, Japan)

Synthesis and structure of $[M(CO)_4\{(PPh_2)_2CHAu(PPh_3)\}]$ (M = Cr, Mo, W) 173
E.J. Fernández (Logroño, Spain), M.C. Gimeno (Zaragoza, Spain), P.G. Jones (Braunschweig, Germany), A. Laguna, M. Laguna, E. Olmos (Logroño, Spain)

Heterocycles as ligands
21. Stable titanium carbene complexes 179
N. Kuhn, T. Kratz (Tübingen, Germany), D. Bläser, R. Boese (Essen, Germany)

Potassium dichromate–adogen 464/sodium percarbonate in acetonitrile: a simple, effective, catalytic and inexpensive system for the oxidative cleavage of α-functionalized benzylic alcohols 183
S. Aït-Mohand, A. Levina, S. Lunak, J. Muzart (Reims, France)

Homogeneous catalysis in water. On the synthesis and characterization of a ruthenium water-soluble complex: preliminary hydrogenation of olefins in a biphasic system. 187
A. Andriollo, A. Bolívar, F.A. López, D.E. Páez (Caracas, Venezuela)

Synthesis and structural characterization of osmium cluster complexes containing 2-phenylazopyridine. Crystal structures of $[Os_3(CO)_{10}(NC_5H_4\text{–}N{=}N\text{–}C_6H_5)]$ and $[Os_3(CO)_{10}(\mu\text{-}H)(NC_5H_3\text{–}N{=}N(O)\text{–}C_6H_5)]$ 193
Y.-K. Au, K.-K. Cheung, W.-T. Wong (Hong Kong, Hong Kong)

N-Oxide-bridged complexes of cobalt(II) and nickel(II) with 2-acetylpyridine 1-oxide oxime (pxo). X-ray crystal structure of the dimeric complex $[Co(pxo)(CH_3OH)Cl_2]_2$. 197
G.C. Chiumia, D.J. Phillips (Sydney, NSW, Australia), A. D. Rae (Canberra, ACT, Australia)

Conference Calendar 203

Author Index 205

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.